

# Interface Performance PSD-2

Q1,Q2,Q3 2025



# Interface Performance Jan / 2025 (1)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 01.01.2025 | 100% | 0%   |            | 166           | 205           |               |
| 02.01.2025 | 100% | 0%   |            | 175           | 186           |               |
| 03.01.2025 | 100% | 0%   |            | 163           | 191           |               |
| 04.01.2025 | 100% | 0%   |            | 174           | 216           |               |
| 05.01.2025 | 100% | 0%   |            | 171           | 175           |               |
| 06.01.2025 | 100% | 0%   |            | 174           | 175           |               |
| 07.01.2025 | 100% | 0%   |            | 177           | 186           |               |
| 08.01.2025 | 100% | 0%   |            | 180           | 201           |               |
| 09.01.2025 | 100% | 0%   |            | 180           | 193           |               |
| 10.01.2025 | 100% | 0%   |            | 170           | 188           |               |
| 11.01.2025 | 100% | 0%   |            | 179           | 229           |               |
| 12.01.2025 | 100% | 0%   |            | 168           | 180           |               |
| 13.01.2025 | 100% | 0%   |            | 174           | 202           |               |
| 14.01.2025 | 100% | 0%   |            | 170           | 217           |               |
| 15.01.2025 | 100% | 0%   |            | 180           | 187           |               |



# Interface Performance Jan / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.01.2025 | 100% | 0%   |            | 171           | 186           |               |
| 17.01.2025 | 100% | 0%   |            | 159           | 181           |               |
| 18.01.2025 | 100% | 0%   |            | 216           | 256           |               |
| 19.01.2025 | 100% | 0%   |            | 159           | 180           |               |
| 20.01.2025 | 100% | 0%   |            | 218           | 207           |               |
| 21.01.2025 | 100% | 0%   |            | 164           | 174           |               |
| 22.01.2025 | 100% | 0%   |            | 181           | 183           |               |
| 23.01.2025 | 100% | 0%   |            | 164           | 181           |               |
| 24.01.2025 | 100% | 0%   |            | 164           | 181           |               |
| 25.01.2025 | 100% | 0%   |            | 183           | 266           |               |
| 26.01.2025 | 100% | 0%   |            | 172           | 200           |               |
| 27.01.2025 | 100% | 0%   |            | 211           | 218           |               |
| 28.01.2025 | 100% | 0%   |            | 167           | 172           |               |
| 29.01.2025 | 100% | 0%   |            | 173           | 186           |               |
| 30.01.2025 | 100% | 0%   |            | 161           | 193           |               |
| 31.01.2025 | 100% | 0%   |            | 169           | 192           |               |

Die Schnittstelle war 01/2025 100% verfügbar



# Interface Performance Feb / 2025 (1)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 01.02.2025 | 100% | 0%   |            | 218           | 223           |               |
| 02.02.2025 | 100% | 0%   |            | 155           | 185           |               |
| 03.02.2025 | 100% | 0%   |            | 185           | 229           |               |
| 04.02.2025 | 100% | 0%   |            | 174           | 217           |               |
| 05.02.2025 | 100% | 0%   |            | 206           | 170           |               |
| 06.02.2025 | 100% | 0%   |            | 171           | 185           |               |
| 07.02.2025 | 100% | 0%   |            | 184           | 189           |               |
| 08.02.2025 | 100% | 0%   |            | 206           | 244           |               |
| 09.02.2025 | 100% | 0%   |            | 180           | 175           |               |
| 10.02.2025 | 100% | 0%   |            | 201           | 289           |               |
| 11.02.2025 | 100% | 0%   |            | 191           | 213           |               |
| 12.02.2025 | 100% | 0%   |            | 174           | 185           |               |
| 13.02.2025 | 100% | 0%   |            | 171           | 191           |               |
| 14.02.2025 | 100% | 0%   |            | 173           | 196           |               |
| 15.02.2025 | 100% | 0%   |            | 267           | 274           |               |



# Interface Performance Feb / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.02.2025 | 100% | 0%   |            | 173           | 178           |               |
| 17.02.2025 | 100% | 0%   |            | 185           | 218           |               |
| 18.02.2025 | 100% | 0%   |            | 182           | 205           |               |
| 19.02.2025 | 100% | 0%   |            | 170           | 189           |               |
| 20.02.2025 | 100% | 0%   |            | 179           | 184           |               |
| 21.02.2025 | 100% | 0%   |            | 186           | 198           |               |
| 22.02.2025 | 100% | 0%   |            | 203           | 303           |               |
| 23.02.2025 | 100% | 0%   |            | 170           | 195           |               |
| 24.02.2025 | 100% | 0%   |            | 235           | 226           |               |
| 25.02.2025 | 100% | 0%   |            | 184           | 215           |               |
| 26.02.2025 | 100% | 0%   |            | 183           | 191           |               |
| 27.02.2025 | 100% | 0%   |            | 175           | 228           |               |
| 28.02.2025 | 100% | 0%   |            | 202           | 220           |               |

Die Schnittstelle war 02/2025 100% verfügbar



# Interface Performance Mar / 2025 (1)

| Day        | Up     | Down  | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|--------|-------|------------|---------------|---------------|---------------|
| 01.03.2025 | 100%   | 0%    |            | 219           | 327           |               |
| 02.03.2025 | 100%   | 0%    |            | 190           | 203           |               |
| 03.03.2025 | 100%   | 0%    |            | 195           | 236           |               |
| 04.03.2025 | 100%   | 0%    |            | 180           | 192           |               |
| 05.03.2025 | 100%   | 0%    |            | 182           | 212           |               |
| 06.03.2025 | 100%   | 0%    |            | 195           | 219           |               |
| 07.03.2025 | 100%   | 0%    |            | 173           | 190           |               |
| 08.03.2025 | 100%   | 0%    |            | 223           | 265           |               |
| 09.03.2025 | 100%   | 0%    |            | 166           | 192           |               |
| 10.03.2025 | 100%   | 0%    |            | 182           | 213           |               |
| 11.03.2025 | 100%   | 0%    |            | 181           | 191           |               |
| 12.03.2025 | 100%   | 0%    |            | 189           | 177           |               |
| 13.03.2025 | 100%   | 0%    |            | 182           | 193           |               |
| 14.03.2025 | 100%   | 0%    |            | 179           | 195           |               |
| 15.03.2025 | 97,36% | 2,64% |            | 183           | 286           |               |



# Interface Performance Mar / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.03.2025 | 100% | 0%   |            | 181           | 241           |               |
| 17.03.2025 | 100% | 0%   |            | 275           | 358           |               |
| 18.03.2025 | 100% | 0%   |            | 180           | 183           |               |
| 19.03.2025 | 100% | 0%   |            | 178           | 226           |               |
| 20.03.2025 | 100% | 0%   |            | 187           | 193           |               |
| 21.03.2025 | 100% | 0%   |            | 181           | 270           |               |
| 22.03.2025 | 100% | 0%   |            | 229           | 377           |               |
| 23.03.2025 | 100% | 0%   |            | 169           | 199           |               |
| 24.03.2025 | 100% | 0%   |            | 185           | 256           |               |
| 25.03.2025 | 100% | 0%   |            | 174           | 253           |               |
| 26.03.2025 | 100% | 0%   |            | 182           | 216           |               |
| 27.03.2025 | 100% | 0%   |            | 174           | 187           |               |
| 28.03.2025 | 100% | 0%   |            | 171           | 199           |               |
| 29.03.2025 | 100% | 0%   |            | 205           | 292           |               |
| 30.03.2025 | 100% | 0%   |            | 170           | 201           |               |
| 31.03.2025 | 100% | 0%   |            | 231           | 198           |               |

Die Schnittstelle war 03/2025 99,91% verfügbar



# Interface Performance Apr / 2025 (1)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 01.04.2025 | 100% | 0%   |            | 179           | 223           |               |
| 02.04.2025 | 100% | 0%   |            | 170           | 214           |               |
| 03.04.2025 | 100% | 0%   |            | 171           | 190           |               |
| 04.04.2025 | 100% | 0%   |            | 183           | 229           |               |
| 05.04.2025 | 100% | 0%   |            | 204           | 300           |               |
| 06.04.2025 | 100% | 0%   |            | 168           | 208           |               |
| 07.04.2025 | 100% | 0%   |            | 180           | 212           |               |
| 08.04.2025 | 100% | 0%   |            | 164           | 198           |               |
| 09.04.2025 | 100% | 0%   |            | 188           | 191           |               |
| 10.04.2025 | 100% | 0%   |            | 228           | 187           |               |
| 11.04.2025 | 100% | 0%   |            | 187           | 198           |               |
| 12.04.2025 | 100% | 0%   |            | 246           | 384           |               |
| 13.04.2025 | 100% | 0%   |            | 165           | 202           |               |
| 14.04.2025 | 100% | 0%   |            | 199           | 267           |               |
| 15.04.2025 | 100% | 0%   |            | 186           | 220           |               |





# Interface Performance Apr / 2025 (2)

| Day        | Up     | Down   | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|--------|--------|------------|---------------|---------------|---------------|
| 16.04.2025 | 100%   | 0%     |            | 165           | 206           |               |
| 17.04.2025 | 100%   | 0%     |            | 240           | 207           |               |
| 18.04.2025 | 100%   | 0%     |            | 167           | 207           |               |
| 19.04.2025 | 100%   | 0%     |            | 249           | 468           |               |
| 20.04.2025 | 100%   | 0%     |            | 208           | 295           |               |
| 21.04.2025 | 100%   | 0%     |            | 172           | 255           |               |
| 22.04.2025 | 100%   | 0%     |            | 180           | 334           |               |
| 23.04.2025 | 100%   | 0%     |            | 171           | 188           |               |
| 24.04.2025 | 100%   | 0%     |            | 177           | 197           |               |
| 25.04.2025 | 100%   | 0%     |            | 183           | 207           |               |
| 26.04.2025 | 100%   | 0%     |            | 267           | 316           |               |
| 27.04.2025 | 100%   | 0%     |            | 465           | 198           |               |
| 28.04.2025 | 76,04% | 23,96% |            | 199           | 236           |               |
| 29.04.2025 | 100%   | 0%     |            | 207           | 253           |               |
| 30.04.2025 | 100%   | 0%     |            | 243           | 231           |               |

Die Schnittstelle war 04/2025 99,20% verfügbar



# Interface Performance Mai / 2025 (1)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 01.05.2025 | 100% | 0%   |            | 168           | 205           |               |
| 02.05.2025 | 100% | 0%   |            | 191           | 236           |               |
| 03.05.2025 | 100% | 0%   |            | 234           | 377           |               |
| 04.05.2025 | 100% | 0%   |            | 185           | 202           |               |
| 05.05.2025 | 100% | 0%   |            | 201           | 272           |               |
| 06.05.2025 | 100% | 0%   |            | 196           | 227           |               |
| 07.05.2025 | 100% | 0%   |            | 196           | 234           |               |
| 08.05.2025 | 100% | 0%   |            | 193           | 208           |               |
| 09.05.2025 | 100% | 0%   |            | 179           | 189           |               |
| 10.05.2025 | 100% | 0%   |            | 229           | 339           |               |
| 11.05.2025 | 100% | 0%   |            | 190           | 202           |               |
| 12.05.2025 | 100% | 0%   |            | 223           | 265           |               |
| 13.05.2025 | 100% | 0%   |            | 191           | 245           |               |
| 14.05.2025 | 100% | 0%   |            | 202           | 207           |               |
| 15.05.2025 | 100% | 0%   |            | 196           | 209           |               |



# Interface Performance Mai / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.05.2025 | 100% | 0%   |            | 196           | 284           |               |
| 17.05.2025 | 100% | 0%   |            | 228           | 342           |               |
| 18.05.2025 | 100% | 0%   |            | 193           | 203           |               |
| 19.05.2025 | 100% | 0%   |            | 234           | 274           |               |
| 20.05.2025 | 100% | 0%   |            | 214           | 238           |               |
| 21.05.2025 | 100% | 0%   |            | 200           | 219           |               |
| 22.05.2025 | 100% | 0%   |            | 200           | 213           |               |
| 23.05.2025 | 100% | 0%   |            | 198           | 246           |               |
| 24.05.2025 | 100% | 0%   |            | 217           | 349           |               |
| 25.05.2025 | 100% | 0%   |            | 189           | 233           |               |
| 26.05.2025 | 100% | 0%   |            | 217           | 275           |               |
| 27.05.2025 | 100% | 0%   |            | 211           | 275           |               |
| 28.05.2025 | 100% | 0%   |            | 204           | 243           |               |
| 29.05.2025 | 100% | 0%   |            | 208           | 236           |               |
| 30.05.2025 | 100% | 0%   |            | 220           | 289           |               |
| 31.05.2025 | 100% | 0%   |            | 275           | 361           |               |

Die Schnittstelle war 05/2025 100% verfügbar



# Interface Performance Jun / 2025 (1)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 01.06.2025 | 100% | 0%   |            | 211           | 200           |               |
| 02.06.2025 | 100% | 0%   |            | 218           | 279           |               |
| 03.06.2025 | 100% | 0%   |            | 228           | 207           |               |
| 04.06.2025 | 100% | 0%   |            | 226           | 267           |               |
| 05.06.2025 | 100% | 0%   |            | 207           | 216           |               |
| 06.06.2025 | 100% | 0%   |            | 216           | 195           |               |
| 07.06.2025 | 100% | 0%   |            | 231           | 326           |               |
| 08.06.2025 | 100% | 0%   |            | 199           | 290           |               |
| 09.06.2025 | 100% | 0%   |            | 181           | 206           |               |
| 10.06.2025 | 100% | 0%   |            | 208           | 192           |               |
| 11.06.2025 | 100% | 0%   |            | 250           | 181           |               |
| 12.06.2025 | 100% | 0%   |            | 170           | 192           |               |
| 13.06.2025 | 100% | 0%   |            | 180           | 196           |               |
| 14.06.2025 | 100% | 0%   |            | 276           | 266           |               |
| 15.06.2025 | 100% | 0%   |            | 165           | 218           |               |



# Interface Performance Jun / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.06.2025 | 100% | 0%   |            | 155           | 214           |               |
| 17.06.2025 | 100% | 0%   |            | 155           | 199           |               |
| 18.06.2025 | 100% | 0%   |            | 149           | 207           |               |
| 19.06.2025 | 100% | 0%   |            | 157           | 195           |               |
| 20.06.2025 | 100% | 0%   |            | 155           | 197           |               |
| 21.06.2025 | 100% | 0%   |            | 236           | 319           |               |
| 22.06.2025 | 100% | 0%   |            | 156           | 185           |               |
| 23.06.2025 | 100% | 0%   |            | 356           | 264           |               |
| 24.06.2025 | 100% | 0%   |            | 356           | 217           |               |
| 25.06.2025 | 100% | 0%   |            | 153           | 200           |               |
| 26.06.2025 | 100% | 0%   |            | 158           | 200           |               |
| 27.06.2025 | 100% | 0%   |            | 175           | 264           |               |
| 28.06.2025 | 100% | 0%   |            | 234           | 431           |               |
| 29.06.2025 | 100% | 0%   |            | 246           | 203           |               |
| 30.06.2025 | 100% | 0%   |            | 197           | 222           |               |

Die Schnittstelle war 06/2025 100% verfügbar



# Interface Performance Jul / 2025 (1)

| Day        | Up     | Down  | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|--------|-------|------------|---------------|---------------|---------------|
| 01.07.2025 | 100%   | 0%    |            | 174           | 248           |               |
| 02.07.2025 | 100%   | 0%    |            | 172           | 205           |               |
| 03.07.2025 | 100%   | 0%    |            | 163           | 183           |               |
| 04.07.2025 | 100%   | 0%    |            | 165           | 200           |               |
| 05.07.2025 | 100%   | 0%    |            | 240           | 635           |               |
| 06.07.2025 | 100%   | 0%    |            | 167           | 180           |               |
| 07.07.2025 | 100%   | 0%    |            | 203           | 209           |               |
| 08.07.2025 | 100%   | 0%    |            | 177           | 209           |               |
| 09.07.2025 | 100%   | 0%    |            | 178           | 202           |               |
| 10.07.2025 | 100%   | 0%    |            | 168           | 228           |               |
| 11.07.2025 | 100%   | 0%    |            | 165           | 208           |               |
| 12.07.2025 | 95,35% | 4,65% |            | 225           | 330           |               |
| 13.07.2025 | 100%   | 0%    |            | 176           | 259           |               |
| 14.07.2025 | 100%   | 0%    |            | 161           | 207           |               |
| 15.07.2025 | 100%   | 0%    |            | 237           | 254           |               |



# Interface Performance Jul / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.07.2025 | 100% | 0%   |            | 175           | 234           |               |
| 17.07.2025 | 100% | 0%   |            | 179           | 212           |               |
| 18.07.2025 | 100% | 0%   |            | 161           | 215           |               |
| 19.07.2025 | 100% | 0%   |            | 245           | 308           |               |
| 20.07.2025 | 100% | 0%   |            | 169           | 214           |               |
| 21.07.2025 | 100% | 0%   |            | 182           | 203           |               |
| 22.07.2025 | 100% | 0%   |            | 185           | 221           |               |
| 23.07.2025 | 100% | 0%   |            | 257           | 224           |               |
| 24.07.2025 | 100% | 0%   |            | 157           | 195           |               |
| 25.07.2025 | 100% | 0%   |            | 169           | 210           |               |
| 26.07.2025 | 100% | 0%   |            | 234           | 344           |               |
| 27.07.2025 | 100% | 0%   |            | 159           | 246           |               |
| 28.07.2025 | 100% | 0%   |            | 169           | 227           |               |
| 29.07.2025 | 100% | 0%   |            | 160           | 227           |               |
| 30.07.2025 | 100% | 0%   |            | 175           | 180           |               |
| 31.07.2025 | 100% | 0%   |            | 156           | 183           |               |

Die Schnittstelle war 07/2025 99,85% verfügbar



# Interface Performance Aug / 2025 (1)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 01.08.2025 | 100% | 0%   |            | 176           | 210           |               |
| 02.08.2025 | 100% | 0%   |            | 225           | 253           |               |
| 03.08.2025 | 100% | 0%   |            | 161           | 197           |               |
| 04.08.2025 | 100% | 0%   |            | 177           | 247           |               |
| 05.08.2025 | 100% | 0%   |            | 183           | 246           |               |
| 06.08.2025 | 100% | 0%   |            | 159           | 180           |               |
| 07.08.2025 | 100% | 0%   |            | 162           | 220           |               |
| 08.08.2025 | 100% | 0%   |            | 151           | 223           |               |
| 09.08.2025 | 100% | 0%   |            | 219           | 579           |               |
| 10.08.2025 | 100% | 0%   |            | 154           | 204           |               |
| 11.08.2025 | 100% | 0%   |            | 183           | 260           |               |
| 12.08.2025 | 100% | 0%   |            | 173           | 224           |               |
| 13.08.2025 | 100% | 0%   |            | 305           | 259           |               |
| 14.08.2025 | 100% | 0%   |            | 174           | 184           |               |
| 15.08.2025 | 100% | 0%   |            | 826           | 191           |               |





# Interface Performance Aug / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.08.2025 | 100% | 0%   |            | 256           | 617           |               |
| 17.08.2025 | 100% | 0%   |            | 179           | 213           |               |
| 18.08.2025 | 100% | 0%   |            | 179           | 229           |               |
| 19.08.2025 | 100% | 0%   |            | 187           | 216           |               |
| 20.08.2025 | 100% | 0%   |            | 162           | 178           |               |
| 21.08.2025 | 100% | 0%   |            | 164           | 163           |               |
| 22.08.2025 | 100% | 0%   |            | 168           | 177           |               |
| 23.08.2025 | 100% | 0%   |            | 196           | 519           |               |
| 24.08.2025 | 100% | 0%   |            | 169           | 182           |               |
| 25.08.2025 | 100% | 0%   |            | 266           | 175           |               |
| 26.08.2025 | 100% | 0%   |            | 179           | 197           |               |
| 27.08.2025 | 100% | 0%   |            | 199           | 168           |               |
| 28.08.2025 | 100% | 0%   |            | 174           | 218           |               |
| 29.08.2025 | 100% | 0%   |            | 149           | 180           |               |
| 30.08.2025 | 100% | 0%   |            | 186           | 245           |               |
| 31.08.2025 | 100% | 0%   |            | 147           | 201           |               |

Die Schnittstelle war 08/2025 100% verfügbar



# Interface Performance Sep / 2025 (1)

| Day        | Up     | Down  | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|--------|-------|------------|---------------|---------------|---------------|
| 01.09.2025 | 100%   | 0%    |            | 254           | 204           |               |
| 02.09.2025 | 100%   | 0%    |            | 229           | 220           |               |
| 03.09.2025 | 100%   | 0%    |            | 181           | 189           |               |
| 04.09.2025 | 100%   | 0%    |            | 160           | 180           |               |
| 05.09.2025 | 100%   | 0%    |            | 152           | 180           |               |
| 06.09.2025 | 100%   | 0%    |            | 219           | 331           |               |
| 07.09.2025 | 100%   | 0%    |            | 154           | 207           |               |
| 08.09.2025 | 100%   | 0%    |            | 207           | 179           |               |
| 09.09.2025 | 100%   | 0%    |            | 167           | 186           |               |
| 10.09.2025 | 100%   | 0%    |            | 179           | 214           |               |
| 11.09.2025 | 100%   | 0%    |            | 142           | 165           |               |
| 12.09.2025 | 100%   | 0%    |            | 159           | 196           |               |
| 13.09.2025 | 98,68% | 1,32% |            | 213           | 247           |               |
| 14.09.2025 | 100%   | 0%    |            | 160           | 221           |               |
| 15.09.2025 | 100%   | 0%    |            | 171           | 207           |               |



# Interface Performance Sep / 2025 (2)

| Day        | Up   | Down | Error Rate | AIS (1/100 s) | PIS (1/100 s) | CoF (1/100 s) |
|------------|------|------|------------|---------------|---------------|---------------|
| 16.09.2025 | 100% | 0%   |            | 177           | 444           |               |
| 17.09.2025 | 100% | 0%   |            | 172           | 177           |               |
| 18.09.2025 | 100% | 0%   |            | 154           | 199           |               |
| 19.09.2025 | 100% | 0%   |            | 156           | 198           |               |
| 20.09.2025 | 100% | 0%   |            | 215           | 319           |               |
| 21.09.2025 | 100% | 0%   |            | 162           | 184           |               |
| 22.09.2025 | 100% | 0%   |            | 164           | 193           |               |
| 23.09.2025 | 100% | 0%   |            | 198           | 194           |               |
| 24.09.2025 | 100% | 0%   |            | 165           | 204           |               |
| 25.09.2025 | 100% | 0%   |            | 167           | 190           |               |
| 26.09.2025 | 100% | 0%   |            | 204           | 386           |               |
| 27.09.2025 | 100% | 0%   |            | 254           | 494           |               |
| 28.09.2025 | 100% | 0%   |            | 183           | 213           |               |
| 29.09.2025 | 100% | 0%   |            | 166           | 192           |               |
| 30.09.2025 | 100% | 0%   |            | 171           | 236           |               |

Die Schnittstelle war 09/2025 99,96% verfügbar



# Varengold Bank AG



Grosse Elbstrasse 39  
22767 Hamburg



+49 40 66 86 49 0



info@varengold.de



www.varengold.de



Follow us on [LinkedIn](#)

